

# TRUCKSTAR PRO

Brightest OSRAM truck light



**Excellent brightness**

More light allows to see farther and therefore react sooner



**More than double the service life**

Reduced downtime and fleet costs compared to standard lamps



**Very high vibration resistance**

Suitable for heavy duty applications

**The most powerful halogen truck light from OSRAM**

Discover TRUCKSTAR PRO signal lamps - the brightest truck light from OSRAM with excellent value for money. With up to 100% more light than standard lamps, extremely long life and very high vibration resistance these 24 volt lamps are ideal for professional drivers while reducing downtime and fleet costs. Thanks to the high vibration resistance, TRUCKSTAR PRO lamps are suitable even for heavy duty applications. Due to their impressive brightness and more than double the service life compared to standard lamps, the lamps improve your safety while driving on the road.



## Product family datasheet

### Technical data

Product description	Product information	General Product Information	Electrical Data		
	Application (Category and Product specific)	Global order reference	Power input	Nominal voltage	Nominal wattage
TRUCKSTAR PRO P21/5W	Auxiliary lamp	7537TSP	28 / 10 W	24.0 V	21/5 W
TRUCKSTAR PRO W5W	Auxiliary lamp	2845TSP	7 W	24.0 V	5 W
TRUCKSTAR PRO R10W	Auxiliary lamp	5637TSP	12.5 W	24.0 V	10 W
TRUCKSTAR PRO R5W	Auxiliary lamp	5627TSP	7 W	24.0 V	5 W
TRUCKSTAR PRO T4W	Auxiliary lamp	3930TSP	5 W	24.0 V	4 W

Product description	Power input tolerance	Test voltage	Photometric Data		Physical Attributes & Dimensions
			Nominal luminous flux	Luminous flux tolerance	Lamp base
TRUCKSTAR PRO P21/5W	±6 / ±10 %	28.0 V	440/40 lm	±15 / ±20 %	BAY15d
TRUCKSTAR PRO W5W	±10 %	28.0 V	50 lm	±20 %	W2.1x9.5d
TRUCKSTAR PRO R10W	±10 %	28.0 V	125 lm	±20 %	BA15s
TRUCKSTAR PRO R5W	±10 %	28.0 V	50 lm	±20 %	BA15s
TRUCKSTAR PRO T4W	±10 %	28.0 V	35 lm	±20 %	BA9s

Product description	Length	Diameter	Lifetime Data		Capabilities	Certificates & standards
			Lifespan B3	Lifespan Tc	Technology	ECE category
TRUCKSTAR PRO P21/5W	52.5 mm	25.0 mm	100 / 1000 hr	200 / 2000 hr	AUX	P21/5W
TRUCKSTAR PRO W5W	26.8 mm	10.0 mm	1000 hr	4000 hr	AUX	W5W
TRUCKSTAR PRO R10W	37.5 mm	16.0 mm	1000 hr	2000 hr	AUX	R10W
TRUCKSTAR PRO R5W	37.5 mm	16.0 mm	500 hr	1000 hr	AUX	R5W
TRUCKSTAR PRO T4W	27.4 mm	9 mm	550 hr	1000 hr	AUX	T4W

Product description	Environmental & Regulatory Information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)			
	Date of declaration	Primary article identifier	Candidate list substance 1	Declaration no. in SCIP database
TRUCKSTAR PRO P21/5W	22-10-2024	4008321798138   4062172158480   4052899423695   4062172121132	No declarable substances contained	In work
TRUCKSTAR PRO W5W	22-10-2024	4052899560543   4008321798077   4062172158305	No declarable substances contained	In work
TRUCKSTAR PRO R10W	22-10-2024	4062172158398   4008321821232	No declarable substances contained	In work

## Product family datasheet

Environmental & Regulatory Information				
Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)				
Product description	Date of declaration	Primary article identifier	Candidate list substance 1	Declaration no. in SCIP database
TRUCKSTAR PRO R5W	22-10-2024	4062172158367   4008321821201	No declarable substances contained	In work
TRUCKSTAR PRO T4W	22-10-2024	4062172158336   4008321795106   4008321174055   4008321842589	No declarable substances contained	In work

## Product family datasheet

### Application advice

For more detailed application information and graphics please see product datasheet.

### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

