OSRAM

DIADEM CHROME

Only amber during operation





Chrome design
Thanks to cutting edge interference and
absorber coating



Only amber when operating, otherwise almost invisible



Homogenous appearance
Reflector has a fully homogenous chrome
look





The design light with chrome look

OSRAM DIADEM CHROME signal lamps have a strikingly exclusive design: their chrome look made possible by a cutting edge interference and absorber coating. The lamps emit amber light only when operational. At other times, they are almost invisible and have no irritating color effects. DIADEM CHROME lamps are ideal for all indicator lights with clear covers.

Product family datasheet

Technical data

	Product information	General Product Information	Electrical Data		
Product description	Application (Category and Product specific)	Global order reference	Power input	Nominal voltage	Nominal wattage
DIADEM CHROME PY21W	Auxiliary lamp	7507DC	25 W	12.0 V	21 W
DIADEM CHROME WY5W ¹⁾	Auxiliary lamp	2827DC	5 W	12.0 V	5 W

			Photometric Data	Physical Attributes & Dimensions	
Product description	Power input tolerance	Test voltage	Nominal luminous flux	Lamp base	Length
DIADEM CHROME PY21W	±6 %	13.5 V	280 lm	BAU15s	52.6 mm
DIADEM CHROME WY5W 1)	±10 %	13.5 V	30 lm	W2.1x9.5d	26.8 mm

		Lifetime Data		Capabilities	Certificates & standards
Product description	Diameter	Lifespan B3	Lifespan	Technology	ECE
			Tc		category
DIADEM CHROME PY21W	25.0 mm	100 hr	250 hr	AUX	PY21W
DIADEM CHROME WY5W 1)	10.0 mm	200 hr	500 hr	AUX	WY5W

Environmental & Regulatory Information
Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh)

Product description	Date of declaration	Primary article identifier	Candidate list substance 1	Declaration no. in SCIP database
DIADEM CHROME PY21W	22-10-2024	4052899418011 4008321972774 4062172211529 4062172394857 4052899241657 4052899417977	No declarable substances contained	In work
DIADEM CHROME WY5W ¹⁾	22-10-2024	4052899417939 4052899979925 4008321972750 4052899417915 4062172394758 4052899417953 4052899067790	No declarable substances contained	In work

¹⁾ Amber lamp for clear indicators

Product family datasheet

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.













