OSRAM LEDriving CANBUS CONTROL UNIT

LEDriving CANBUS CONTROL UNIT





Bypasses the vehicle's outage detection




Removable installation by fixed clips



3 years OSRAM guarantee, refer to www.osram.comam-guarantee for precise conditions For more customer satisfaction

Prevents error messages in board computers during failure detection



Prevents failure messages

The LEDriving CANBUS CONTROL UNIT serves as a bypass of a vehicle's lamp failure detection system when using a LED retrofit lamp. The control unit offers an easy installation and is suitable for most vehicle models with automatic lamp failure detection system. OSRAM provides a 3 year guarantee for this product.



Product family datasheet

Technical data

	Product information	General Product Information	Electrical	rical Data		
Product description	Application (Category and Product specific)	Global order reference	Power input	Nominal watta	age System wattage	
LED CANBUS CONTROL UNIT CCU01	Accessories for LED retrofits	LEDCCU01	6 W	5.00 W		
LED CANBUS CONTROL UNIT CCU02	Accessories for LED retrofits	LEDCCU02	25 W	21 W	21 W	
	Physical Attributes & Dimensions	Lifetime Data		Capabilities	Environmental & Regulatory Information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh)	
Product description	Diameter	Lifespan B3	Lifespan Tc	Technology	Date of declaration	
LED CANBUS CONTROL UNIT CCU01	8.7 mm	2000 hr	2000 hr	LED accessories	21-10-2024	
LED CANBUS CONTROL UNIT CCU02	16.0 mm	2000 hr	2000 hr	LED accessories	21-10-2024	

Product description	Primary article identifier	Candidate list substance 1	Declaration no. in SCIP database
LED CANBUS CONTROL UNIT CCU01	4052899090873	No declarable substances contained	In work
LED CANBUS CONTROL UNIT CCU02	4052899301993	No declarable substances contained	In work

 $^{1)}$ Accessories for light-emitting diode application

Product family datasheet

Equipment / Accessories

- Connector clips included

Download Data

	File
1	User instruction LEDriving CANBUS CONTROL UNIT

Safety advice

Application advice: For more detailed application information and graphics please see product datasheet and user manual.

References / Links Guarantee terms are available at www.osram.com/am-guarantee

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

FAL







