Product family datasheet

LEDriving SL P21W WHITE

Ideal replacement for any vehicle



Suitable for various vehicle exterior applications Available in Cool White



Replaces conventional P21W lamps Easy upgrade to LED technology with

plug & play solutions



Reliable OSRAM quality stands for less lamp replacements 4-year OSRAM guarantee (refer to www.osram.com/am-guarantee for precise conditions)

Guarantee³



Suitable LED replacement for P21W

LEDriving SL P21W replacement lamps offer a modern and intense light with a color temperature up to 6,000 Kelvin. These replacement lamps are suitable for all conventional P21W lamp bases. In comparison to standard lamps, these LED retrofit lamps use up to 80% less energy. OSRAM offers a 4 year guarantee for these LEDriving SL lamps. These products do not have ECE approval and must not be used on public roads in any exterior application. Public roads use leads to cancellation of operating license and loss of insurance coverage. Several countries forbid sale and use of these products. Please contact your local distributor for further information.

OSRAM

Product family datasheet

Technical data

Product information		General Product Information		Electric	Electrical Data	
Application (Category and Product specific)	Product type (off- road vs. on-road)			Power input	Nominal voltage	
Mainly used for signal/ indicator applications	Off-road ≙ P21W	7506DW	/P	1.8 W	12.0 V	
			Photomet	ric Data	Physical Attributes & Dimensions	
Nominal wattage			Nominal lı flux	uminous	Lamp base	
1 W	±25 %	13.5 V	160 lm		BA15s	
			Lifetime D	ata	Capabilities	
Length	Diameter		Lifespan B3	Lifespan Tc	Technology	
52.5 mm	25.0 mm		1500 hr	4000 hr	LED ¹⁾	
-	-		(EC) 1907/2	006 (REACh)	
Date of declaration	Primary article identifier		Candidate list substance 1		CAS No. of substance 1	
22-10-2024	4062172348652 4062172152181 4062172401210 4062172408318		Lead		7439-92-1	
	Application (Category and Product specific) Mainly used for signal/ indicator applications Nominal wattage 1 W Length 52.5 mm Environmental & Reguinformation according a Date of declaration	Application (Category and Product specific) Product type (off-road vs. on-road) Mainly used for signal/ indicator applications Off-road = P21W Nominal wattage Power input toleranc e 1 W ±25 % Length Diameter 52.5 mm 25.0 mm Environmental & Regulatory Information according Art. 33 of EU Date of declaration Primary artificer 22-10-2024	Application (Category and Product specific) Product type (off-road vs. on-road) Global or reference on the signal vision on trady Mainly used for signal/ indicator applications Off-road ≜ 7506DW Nominal wattage Power input toleranc e Test voltage 1 W ±25 % 13.5 V Length Diameter 52.5 mm 52.5 mm 25.0 mm Environmental & Regutory Information Information according Art. 33 of EU Regulation Date of declaration Primary article identifier 22-10-2024 4062172348652	Application (Category and Product specific) Product type (off-road vs. on-road) Global order reference Mainly used for signal/ indicator applications Off-road ≜ 7506DWP Nominal wattage Power input toleranc e Test voltage Nominal to the flux 1 W ±25 % 13.5 V 160 lm Lifetime D Lifetime D B3 B3 52.5 mm 25.0 mm 1500 hr Environmental & Regulatory Information Information according Art. 33 of EU Regulation (EC) 1907/2 Date of declaration Primary article candidate substance 22-10-2024 4062172348652 Lead	Application (Category and Product specific) Product type (off-road vs. on-road) Global order reference Power input Mainly used for signal/ indicator applications Off-road ≜ 7506DWP 1.8 W Nominal wattage Power input voltage toleranc e Test voltage toleranc e Nominal luminous flux 1 W ±25 % 13.5 V 160 lm Length Diameter Lifespan B3 Lifespan B3 52.5 mm 25.0 mm 1500 hr 4000 hr Environmental & Regulatory Information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh Candidate List substance 1 22-10-2024 4062172348652 Lead Lead	

Product description	Safe use instruction	Declaration no. in SCIP database
LEDriving SL ≏ P21W	ldentifieringen av ämnet på kandidatlistan är tillräcklig för att artikeln ska kunna användas på ett säkert sätt.	e75f732e-151e- 4392-9807- f15711d460b4

 $^{1)}$ Light-emitting diode lamp

_

Product family datasheet

Download Data

File

Image: Second s

Safety advice

Canbus compatibleColoured lamps for usage behind coloured glass

Legal advice

These products do not have ECE approval and must not be used on public roads in any exterior application. Public roads use leads to cancellation of operating license and loss of insurance coverage. Several countries forbid sale and use of these products. Please contact your local distributor for further information.

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.