## Product family datasheet

# LEDriving SL PY21W

Ideal replacement for any vehicle



Suitable for various vehicle exterior applications Available in Amber



Replaces conventional PY21W lamps Easy upgrade to LED technology with plug & play solutions



Reliable OSRAM quality stands for less lamp replacements 4-year OSRAM guarantee (refer to www.osram.com/am-guarantee for precise conditions)



#### Suitable LED replacement for PY21W

LEDriving SL PY21W replacement lamps offer a modern and intense light. These replacement lamps are suitable for all conventional PY21W lamp bases. In comparison to standard lamps, these LED retrofit lamps use up to 80% less energy. OSRAM offers a 4 year guarantee for these LEDriving SL lamps. These products do not have ECE approval and must not be used on public roads in any exterior application. Public roads use leads to cancellation of operating license and loss of insurance coverage. Several countries forbid sale and use of these products. Please contact your local distributor for further information.

# Product family datasheet

### Technical data

 $\mathsf{LEDriving}\ \mathsf{SL} \triangleq \mathsf{PY21W}$ 

	Product information		General Product Information		Electrical Data	
Product description	Application (Category and Product specific)	Product type (off- road vs. on-road)	Global of reference		Power input	Nominal voltage
LEDriving SL ≙ PY21W	Mainly used for signal/ indicator applications	Off-road ≙ PY21W	7507DYF	)	1.5 W	12.0 V
				Photometric	Data	Physical Attributes & Dimensions
Product description	Nominal wattage		Test voltage	Nominal lum flux	inous	Lamp base

			Lifetime Data		Capabilities
Product description	Length	Diameter	Lifespan B3	Lifespan Tc	Technology
LEDriving SL $\triangleq$ PY21W	52.5 mm	25.0 mm	1500 hr	4000 hr	LED <sup>1)</sup>

±10 %

13.5 V

50 lm

BAU15s

1 W

	Environmental & Regulatory Information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh)			
Product description	Date of declaration	Primary article identifier	Candidate list substance 1	CAS No. of substance 1
LEDriving SL $\triangleq$ PY21W	22-10-2024	4062172401517   4062172152242	Lead	7439-92-1

Product description	Safe use instruction	Declaration no. in SCIP database
LEDriving SL ≜ PY21W	ldentifieringen av ämnet på kandidatlistan är tillräcklig för att artikeln ska kunna användas på ett	bcf00c1f-4751-4bd7- 8ce1-efa17d78d8a9
	säkert sätt.	

 $^{1)}$  Light-emitting diode lamp

# Product family datasheet

#### Download Data

File

Image: Second s

#### Safety advice

Canbus compatibleColoured lamps for usage behind coloured glass

#### Legal advice

These products do not have ECE approval and must not be used on public roads in any exterior application. Public roads use leads to cancellation of operating license and loss of insurance coverage. Several countries forbid sale and use of these products. Please contact your local distributor for further information.

#### **Application advice**

For more detailed application information and graphics please see product datasheet.

#### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.