OSRAM

LEDriving SLT W5W

LEDriving interior lamps for trucks



LED replacement lamp with a color temperature of up to 6,000 K

Modern and intense uniform illumination



Replaces all conventional W5W 24 V lamp bases

Easy upgrade to LED technology with plug & play solution



Reliable OSRAM quality stands for less lamp replacements

4-year OSRAM guarantee (refer to www.osram.com/am-guarantee for precise conditions)



Suitable LED replacement for W5W

LEDriving SLT W5W replacement lamps offer a modern and intense light with a cool white color temperature up to 6,000 Kelvin. These replacement lamps are suitable for all conventional W5W lamp bases. In comparison to standard lamps, these LED retrofit lamps use up to 80% less energy. OSRAM offers a 4 year guarantee for these LEDriving SLT lamps. These products do not have ECE approval and must not be used on public roads in any exterior application. Public roads use leads to cancellation of operating license and loss of insurance coverage. Several countries forbid sale and use of these products. Please contact your local distributor for further information.

Product family datasheet

Technical data

	Product inform	Product information			General Product Information		Electrical Data		
Product description	Product type (off- road vs. on-road)	Application (Category and Product specific)		Global order reference		Nominal voltage		Nominal wattage	
LEDriving PREMIUM SL ≜ W5W	Off-road ≙ W5W	Mainly used for signal/ indicator/ interior applications		2845DWP		24.0 V		1 W	
					Photometric Data				
Product description	Power input tolerance		Test voltage	Power input	Light color Lumino LED flux toleran		luminou		
LEDriving PREMIUM SL ≜ W5W	±25 %		28.0 V	0.7 W	Cool white	±25 %	65	lm	
			Physical Att	ributes & D	imensions				
Product description	Color temperature		Diameter		Lamp base	Length			
LEDriving PREMIUM SL ≙ W5W	6000 K	6000 K		10.1 mm		25.4 mm			
			Lifetime Data		c		Capabilit	Capabilities	
Product description	Product weigh	Product weight		Lifespan Tc		Lifespan B3	Technology		
LEDriving PREMIUM SL	1.70 g		3000 hr		4 years	1500 hr	LED		
	Environmenta Information ad (REACh)	-	•		(EC) 1907/200	6			
Product description	Date of declar				Primary article Declaration n identifier SCIP database				

4062172401814

In work

22-10-2024

Product family datasheet

Download Data

File



Brochures

LEDriving Retrofits - Exchange overview (EN)



Brochures

Sales Folder LEDriving replacement lamps (EN)

Safety advice

Application advice: For more detailed application information and graphics please see product datasheet and user manual.

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

